




PACK LINE Ltd

Packaging Machines Industries

ROTARY FILLING & SEALING MACHINES



At Pack Line, we manufacture a range of productive output, in order to enable the possibility of gradual growth in your production.

The line of rotary filling & sealing machines includes a range of semi-automatic and fully - automatic models with varying output from 15 up to 60 containers per minute.

Machines' best advantage is their extreme flexibility.

The machines are based on modular system and are customized for your specific needs.

Various types of dispensers for various viscosities of packed products are available.


The machines handle different types and sizes of containers and lids.

The rotary platform of all the models is driven by analogue engine.

All the machines are controlled by computerized control system - PLC.

Touch screen - user friendly.

Trade in option is available between the models. Machines can be easily modified and



Member of
FPM&SA

ROTARY FILLING & SEALING MACHINES




**MODEL
PLF-5SA/B**
Semi-automatic
Filling & Sealing
Machine
Output up to 15 CPM



**MODEL
NB070-ASP**
Fully Automatic
Ultra-Clean
Filling & Sealing Machine
Output up to 30 CPM



**MODEL
NB070**
Fully Automatic
Filling & Sealing
Machine
Output up to 30 CPM



**MODEL
NB070-BIS**
Fully Automatic
Filling & Sealing Machine
Output up to 60 CPM



ROTARY FILLING & SEALING MACHINES

List of available features and technical data:

The machines include:

Mechanically driven rotary platform;
Cups feeding and ejection assemblies
(fully automatic models); filling unit; lids feeding
and sealing assemblies; PLC control system.

Fillers:

Pneumatic piston filler for liquid and paste, filling size up to 1000 cc.
Volumetric filler for solids with package shaker, maximum filling size up to 1000 cc
Auger fillers for micro and macro fills
Scale fillers, multi-head

Additional systems for piston fillers:

Electronic system for filling size adjustment
Clean-in-place
Cut-off nozzle
Suck back nozzle
Nozzle for liquid hot filling

Container closing systems:


Pre-die cut lids sealing system
On-line roll stock membrane
sealing system
Plastic lids Pick and Place system
Plastic lids Spinning Roll system

Options:

Set for different cups
Shapes and sizes coding device
Discharging conveyer
Rotary table for final assembly
Additional filling heads for different products
Gas flashing system
Safety guarding

Technical data:

		PLF-5SB	NB070	NB070-BIS		PLF-5SB	NB070	NB070-BIS
Power supply	V/Hz	230/50	230/50	380/50/3Ph	V/Hz	110/60	110/60	230/60/3Ph
Power usage	Kw	1	1	2	HP	1.3	1.3	2.5
Compressed air consumption	L/min	400	450	500	CFM	14	16	17.6
Pneumatic feeding	Bar	6-8	6-8	6-8	psi	90-120	90-120	90-120
Length	mm	520	710	710	inch	20	28	28
Width	mm	670	710	1300	inch	26	28	51
Height	mm	1500	1500	1500	inch	59	59	59
Net weight	kg	120	210	350	lb	265	460	770



PACK LINE CORP.

18 Madison Rd.
Fairfield, NJ, 07004, USA
Phone: +1-973-227-5100
Fax: +1-973-529-0224
www.packlinecorp.com
info@packlinecorp.com

PACK LINE AUSTRALIA

1 Merchant Avenue,
Thomastown 3074,
Melbourne, Victoria
Australia
Phone: +61-3-9466-1470
Fax: +61-3-9466-1471
mozil2124@onthe.net.au

PACK LINE UK

3-5 St. Albans Rd.
16, Hylda Court
NW5 1RE
London
United Kingdom
Phone: +44-207-485-06-54
Fax: +44-207-485-06-54
katselilea@packline.com

RUSSIA

"Filuet CIS"

5, B. Rzshevsky Side St.
121069 Moscow
Phone: +7-095-2022557
Fax: +7-095-2913337
www.filuet.ru
engineering@filuet.ru

UKRAINE

Kiev
Phone: +380-44-2419774
Fax: +380-44-2419776
kolle@carrier.kiev.ua

Donetsk

Phone: +380-62-3309384
+380-62-3856809
Fax: +380-62-3856810
equip@polytrade.donbass.com

UZBEKISTAN

Tashkent
Phone: +998-712-567879
+998-97-1307931
Fax: +998-712-567879
michael@bcc.com.uz